

Work Order ID 151794

Friday, October 07, 2016 2:34:57 PM

151794

Page 1

Item ID: D3883-1 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Saddle, Outboard LH
 Start Date: 10/13/2016 Start Qty: 4.00 ***4*** Cust Item ID:
 Required Date: 10/19/2016 Req'd Qty: 4.00 ***4*** Customer:
 Reference:

Approvals: Process Plan: VS 10/10/11 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3883	D								

100 *100* HAAS 1 HAAS CNC vertical machine #1	HAAS CNC VERTICAL MACHINING #1 Memo Program Batch No. <u>151794</u> Double check by: <u>[Signature]</u> 1-Machine Step No 1 per Folio FA815 and inspect per attached Dimension Sheets 2-Machine Step No 2 per Folio FA641 and inspect per attached Dimension Sheets 3-Machine Step No 3 per Folio FA815 and inspect per Dimension Sheets MILL AS PER DWG AND FOLIO FA815 FOLIO REV: <u>P</u> DWG REV: <u>D</u>	0.26 0.46	8 0 8 0	DAS 44 9-89 10-11-20 DAS 44 9-89 10-11-22
105 *105* Mill Conv Conventional Milling Machine	Memo MILL KEYWAY AS PER DWG	0.00 0.00	8 0 8 0	DAS 44 9-89 10-11-22

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : _____									

Friday, October 07, 2016 2:34:57 PM

Page 2

БЕБ

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval	
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :							
Misidentified ☐	Past Due ☐								

Work Order ID 151794

Friday, October 07, 2016 2:34:57 PM

151794

Page 3

Item ID: D3883-1 Accept *N900040100* Setup Start *NS1*
Revision ID: Stop *NS2*
Item Name: Saddle, Outboard LH
Start Date: 10/13/2016 Start Qty: 4.00 *4* Cust Item ID:
Required Date: 10/19/2016 Req'd Qty: 4.00 *4* Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
140	White Gloss(Ref:4.3.5.1) per OSI005 4.3-Alum	0.00							
140	<i>M 134798.</i>								
Powdercoat	Memo	0.03							
Powder Coating	***MASK INSIDE SURFACES OF SADDLE PRIOR TO APPLICATION OF POWDER COAT AS PER INDICATED ON DWG (SEE NOTE 2)*** ***DO NOT MASK INSIDE FLANGE SURFACE*** START TIME: <i>2:45</i> OVEN TEMPERATURE: <i>320°</i> FINISH TIME: <i>3:15</i>								
150	QC3- Inspect Part Finish	0.00							
150									
QC	Memo	0.01							
Quality Control									

8 *16 11-23.* *DAS 34 9-89*

8 *DAS 38 9-89*

NOV 24 2016

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐				
Date :	Step #:	QTY Effective :			MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			Completed By	
					Lead hand / Supervisor Approval Verification	
					QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY				
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	
OTHER :						

Work Order ID 151794

Friday, October 07, 2016 2:34:57 PM

151794

Page 4

Item ID: D3883-1

Accept

N900040100Setup Start ***NS1***

Revision ID:

Item Name: Saddle, Outboard LH

Stop ***NS2***

Start Date: 10/13/2016 Start Qty: 4.00

4

Cust Item ID:

Required Date: 10/19/2016 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

160

Identify as per dwg & Stock Location: **ST 404**

0.00

160

Packaging

Memo

0.01

Packaging

SX

NOV 2 5 2016

**DAS
26
9-89**

170

QC21- Final Inspection - Work Order Release

0.00

170

QC

Memo

0.07

Quality Control

10/11/28**DAS
21
9-89**

NOV 2 5 2016

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval	
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong				
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions				
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance				
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect				
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing				
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved				
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing				
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish				
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread				
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence				
Past Expiry Date ☐	☐ Manufacturing Process	OTHER :							
Misidentified ☐	☐ Past Due								

Picklist Print

Friday, October 07, 2016 2:34:57 PM

Page 1

Work Order ID: 151794

151794

Parent Item: D3883-1

D3883-1

Parent Item Name: Saddle, Outboard LH

Start Date: 10/13/2016

Required Date: 10/19/2016

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP RevA: New issue DD verified by:EC
15.05.20 remove inside powdercoat DD VERF:JLM

IPP REV:B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-015		Manufactured	No			100	Each	39.0000	1	4			
D6101-015									**				
Saddle Billet													

DAS
44
9-89

16-11-19.

<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>
MAT045	39	
144955	9	
150665	10	
151161	20	

152432



8

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval																																																									
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :			
Misidentified ☐	Past Due ☐																																																																

DART AEROSPACE LTD		Work Order: 151794
Description: Saddle, Outboard, LH		Part Number: D3883-1
Inspection Dwg: D3883	Rev. D	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	By	Date
A	2.870	2.880		2.875	2.875	2.875	2.875		
B	1.433	1.443		1.438	1.438	1.438	1.438		
C	0.638	0.658	.519	.648	.644	.645	.644		
D	3.895	3.905		3.900	3.900	3.900	3.900		
E	0.257	0.262		.258	.258	.258	.258		
F	0.605	0.625	.486	.613	.614	.613	.613		
G	1.120	1.130		1.125	1.125	1.125	1.125		
H	2.245	2.255		2.250	2.250	2.250	2.250		
I	2.000	2.020		2.000	2.000	2.000	2.000		
J	0.140	0.165		.149	.149	.149	.150		
K	0.240	0.260		.248	.251	.250	.249		
L	0.115	0.135		.124	.124	.124	.124		
M	0.140	0.165		.149	.148	.150	.148		
N	0.720	0.780		.775	.775	.775	.775		
O	0.240	0.260		.257	.257	.257	.258		
P	0.110	0.140		.135	.135	.135	.135		
Q	0.178	0.198		.188	.188	.188	.188		
R	2.825	2.885		2.855	2.855	2.855	2.855		
S	0.316	0.321		.316	.316	.316	.316		
T	0.990	1.010		1.000	.999	1.000	.998		
U	1.745	1.755		1.750	1.750	1.750	1.750		
V	5.990	6.010		6.000	5.999	6.000	6.000		
W	1.245	1.255		1.250	1.250	1.250	1.250		
X	0.490	0.510		.498	.500	.497	.500		
Y	1.220	1.280		1.250	1.250	1.250	1.250		
Z	2.495	2.505		2.500	2.500	2.500	2.500		
AA	0.313	0.318		.314	.314	.314	.314		
AB	0.020	0.040		.025	.025	.025	.025		
AC	0.760	0.765		.763	.763	.763	.763		
AD	0.215	0.220		.218	.218	.218	.219		
AE	1.265	1.285		1.265	1.265	1.265	1.245		
AF									
Accept/Reject				✓					

Measured by: 44
Date: 16-11-20

Audited by: 32
Date: 16-11-20

Rev	Date	Change	Revised by	Approved
A	09.10.22	New Issue	KJ	JLM
B	09.11.25	Dimension AE added	KJ	
C	15.06.22	Dwg Rev updated	KJ	


DART AEROSPACE LTD		Work Order: 151794
Description: Saddle, Outboard, LH		Part Number: D3883-1
Inspection Dwg: D3883 Rev. D		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing and record below:

				Recorded Actual Dimensions				By	Date
Dim	Min	Max	Go/No Go Gauge	5	6	7	8		
A	2.870	2.880		2.875	2.875	2.875	2.875		
B	1.433	1.443		1.438	1.438	1.438	1.438		
C	0.638	0.658		.646	.644	.644	.644		
D	3.895	3.905		3.900	3.900	3.900	3.900		
E	0.257	0.262		.258	.258	.258	.258		
F	0.605	0.625		.613	.612	.612	.612		
G	1.120	1.130		1.125	1.125	1.125	1.125		
H	2.245	2.255		2.250	2.250	2.250	2.250		
I	2.000	2.020		2.000	2.000	2.000	2.000		
J	0.140	0.165		.149	.148	.147	.148		
K	0.240	0.260		.251	.251	.251	.251		
L	0.115	0.135		.123	.124	.124	.123		
M	0.140	0.165		.147	.150	.150	.149		
N	0.720	0.780		.775	.775	.775	.775		
O	0.240	0.260		.258	.259	.257	.257		
P	0.110	0.140		.135	.135	.135	.135		
Q	0.178	0.198		.188	.188	.188	.188		
R	2.825	2.885		2.855	2.855	2.855	2.855		
S	0.316	0.321		.316	.316	.316	.316		
T	0.990	1.010		.999	1.000	.998	1.000		
U	1.745	1.755		1.750	1.750	1.750	1.750		
V	5.990	6.010		6.000	6.000	6.000	6.000		
W	1.245	1.255		1.250	1.250	1.250	1.250		
X	0.490	0.510		.498	.500	.500	.499		
Y	1.220	1.280		1.250	1.250	1.250	1.250		
Z	2.495	2.505		2.500	2.500	2.500	2.500		
AA	0.313	0.318		.314	.314	.314	.314		
AB	0.020	0.040		.025	.025	.025	.025		
AC	0.760	0.765		.763	.763	.763	.763		
AD	0.215	0.220		.219	.219	.219	.220		
AE	1.265	1.285		1.265	1.265	1.265	1.265		
AF									
Accept/Reject									

Measured by: 44	Audited by: 32
Date: 16-11-22	Date: 16-11-22

Rev	Date	Change	Revised by	Approved
A	09.10.22	New Issue	KJ	JLM
B	09.11.25	Dimension AE added	KJ	
C	15.06.22	Dwg Rev updated	KJ	



D3883-1 SADDLE, OUTBOARD LH

NOTES:

- 1) MATERIAL: 7075-T7351 ALUMINUM PER AMS-QQ-A-250/12, OR QQ-A-250/12 OR ASTM B209 (REF DART SPEC. D6101-016)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
MASK INSIDE SURFACES OF SADDLE PRIOR TO APPLICATION OF POWDER COAT
POWDER COAT GLOSS WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX.
- 6) IDENTIFICATION: ENGRAVE PART AND BATCH NUMBER IN THIS AREA TO MAX. DEPTH OF 0.010 WITH A MIN. TOOL RAD OF R0.010
- 7) WEIGHT: 1.03 lbs
- 8) ENGRAVE DART LOGO TO MAX DEPTH OF 0.015 WITH MIN RAD R0.250
- 9) ALL NON-DIMENSIONED FEATURES DEFINED PER DRAWING FILE "D3883-1-REVD.SLDPRT"





SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 151794
16/10/11

D	GENERAL REDRAW, ADDED D3883-2 ON SHEETS 3 & 4, ADDED NOTE 9 & REMOVED UNNECESSARY DIMS. REMOVED POWDER COAT ON INSIDE SURFACE OF D3883-1/2	AP	15.02.11
C	ADD R1.285 (ZN D6-2)	RF	09.11.09
B	D6101-016, ZN A7-1; ADD 0.648, ZN D7-1; ADD 0.615, ZN D6-1; ADD 0.125, ZN D7-2; ADD 0.080 & R0.031, ZN B6-2; 0.75 WAS 0.728, ZN C7-2	RF	09.08.30
A	NEW ISSUE	RF	09.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN	AP	DART AEROSPACE USA, INC. KENT, WA DRAWING NO. D3883 TITLE OUTBOARD SADDLE SCALE NTS REV. D SHEET 1 OF 4 COPYRIGHT © 2014 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PROPERTY OF DART AEROSPACE USA, INC. AND IS TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	
DRAWN	AP		
CHECKED	AJS		
MFG. APPR.	JLM		
APPROVED	HS		
DE APPR.	DS	DATE 15.02.11	

RELEASED


2015 MAY 19

A.P. EENIS-575



RELEASED
A.S. 2015 MAY 19

APPROVED	DESIGN	AP	DART AEROSPACE USA, INC.	
	DRAWN	AP	KENT, WA	
	CHECKED	AJS	DRAWING NO. D3883	REV. D
	MFG. APPR.	JLM		SHEET 2 OF 4
	APPROVED	HS	TITLE	SCALE
	DE APPR.	DS	OUTBOARD SADDLE	NTS
	DATE	15.02.11	COPYRIGHT © 2014 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR REPRODUCED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE USA, INC.	



D3883-1 SADDLE, OUTBOARD LH

NOTES:

- 1) MATERIAL: 7075-T7351 ALUMINUM PER AMS-QQ-A-250/12, OR QQ-A-250/12 OR ASTM B209 (REF DART SPEC. D6101-015)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 MASK INSIDE SURFACES OF SADDLE PRIOR TO APPLICATION OF POWDER COAT POWDER COAT GLOSS WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE PART AND BATCH NUMBER IN THIS AREA TO MAX. DEPTH OF 0.010 WITH A MIN. TOOL RAD OF R0.010
- 7) WEIGHT: 1.03 lbs
- 8) ENGRAVE DART LOGO TO MAX DEPTH OF 0.015 WITH MIN RAD R0.250
- 9) ALL NON-DIMENSIONED FEATURES DEFINED PER DRAWING FILE "D3883-1-REVD.SLDPR"


**SHOP COPY
RETURN TO
ENGINEERING**

**UNCONTROLLED COPY
SUBJECT TO AMENDMENT**

**WITHOUT NOTICE
WORK ORDER**

NO. 151794

*VLC
TOL
16/10/11*







RELEASED

2015 MAY 19

A.P. Ecnis-SFS


D	GENERAL REDRAW, ADDED D3883-2 ON SHEETS 3 & 4, ADDED NOTE 9 & REMOVED UNNECESSARY DIMS. REMOVED POWDER COAT ON INSIDE SURFACE OF D3883-1/2	AP	15.02.11
C	ADD R1.265 (ZN D6-2)	RF	09.11.09
B	D6101-015, ZN A7-1; ADD 0.848, ZN D7-1; ADD 0.615, ZN D6-1; ADD 0.125, ZN D7-2; ADD 0.060 & R0.031, ZN B5-2; 0.75 WAS 0.728, ZN C7-2	RF	09.06.30
A	NEW ISSUE	RF	09.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN	AP	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	AP		
CHECKED	AJS	DRAWING NO.	REV. D
MFG. APPR.	JLM	D3883	SHEET 1 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	OUTBOARD SADDLE	NTS
DATE	15.02.11	COPYRIGHT © 2014 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

APPROVED



RELEASED
A.R. 2015 MAY 19


APPROVED	DESIGN	AP	DART AEROSPACE USA, INC. KENT, WA	
	DRAWN	AP		
	CHECKED	AJS	DRAWING NO.	REV. D
	MFG. APPR.	JLM	D3883	SHEET 2 OF 4
	APPROVED	HS	TITLE	SCALE
	DE APPR.	DS	OUTBOARD SADDLE	NTS
	DATE	15.02.11	COPYRIGHT © 2014 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



D3883-2 SADDLE, OUTBOARD RH

NOTES:




- 1) MATERIAL: 7075-T7351 ALUMINUM PER AMS-QQ-A-250/12, OR QQ-A-250/12 OR ASTM B209 (REF DART SPEC. D6101-015)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 MASK INSIDE SURFACES OF SADDLE PRIOR TO APPLICATION OF POWDER COAT POWDER COAT GLOSS WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE PART AND BATCH NUMBER IN THIS AREA TO MAX. DEPTH OF 0.010 WITH A MIN. TOOL RAD OF R0.010
- 7) WEIGHT: 1.03 lbs
- 8) ENGRAVE DART LOGO TO MAX DEPTH OF 0.015 WITH MIN RAD R0.250
- 9) ALL NON-DIMENSIONED FEATURES DEFINED PER DRAWING FILE "D3883-2-REVD.SLDPRT"



RELEASED
A.P. 2015 MAY 19

APPROVED

DESIGN	AP	DART AEROSPACE USA, INC.	
DRAWN	AP	KENT, WA	
CHECKED	AJS	DRAWING NO.	REV. D
MFG. APPR.	JLM	D3883	SHEET 3 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	OUTBOARD SADDLE	NTS
DATE	15.02.11	COPYRIGHT © 2014 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR DISSEMINATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



RELEASED
A-2015 MAY 19

APPROVED

DESIGN	AP	DART AEROSPACE USA, INC.	
DRAWN	AP	KENT, WA	
CHECKED	AJS	DRAWING NO.	REV. D
MFG. APPR.	JLM	D3883	SHEET 4 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	OUTBOARD SADDLE	NTS
DATE	15.02.11	COPYRIGHT © 2014 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CORPSON THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	